

D U M O N T[®]



SWISS  MADE


Straight forceps
Curved & angled forceps
Self-closing forceps
Mini forceps



MEDICAL & BIOLOGY

0B


Thin tips, inside tip serrations. Special chiropody



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0108-OB-PO	Inox 08	Polished	0.10	0.0039	0.17	0.0067	115	4.5310

0


Geneva pattern, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0203-0-PO	Dumoxel®	Polished	0.04	0.0016	0.08	0.0032	115	4.5310
0203-0-PS	Dumoxel®	Matt	0.04	0.0016	0.08	0.0032	115	4.5310
0208-0-PO	Inox 08	Polished	0.04	0.0016	0.08	0.0032	115	4.5310
0208-0-PS	Inox 08	Matt	0.04	0.0016	0.08	0.0032	115	4.5310

I


Strong tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-I-PO	Inox 08	Polished	✓	0.12	0.0047	0.20	0.0079	120	4.7280
2408-I-MF	Inox 08	Mirror polished	✓	0.06	0.0024	0.10	0.0039	120	4.7280
3308-I-PO	Inox 08	Polished	✓	0.06	0.0024	0.10	0.0039	120	4.7280
3808-I-MF	Inox 08	Mirror polished	✓	0.12	0.0047	0.20	0.0079	120	4.7280

2





Strong tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0208-2SP-PO	Inox 08	Polished		0.02	0.0008	0.40	0.0158	120	4.7280
0508-2-PO	Inox 08	Polished	✓	0.14	0.0055	0.34	0.0134	120	4.7280
2408-2-MF	Inox 08	Mirror polished	✓	0.07	0.0028	0.17	0.0067	120	4.7280
3308-2-PO	Inox 08	Polished	✓	0.07	0.0028	0.17	0.0067	120	4.7280
3808-2-MF	Inox 08	Mirror polished	✓	0.14	0.0055	0.34	0.0134	120	4.7280

2B


Very strong tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-2B-PO	Inox 08	Polished	✓	0.60	0.0236	1.50	0.0591	160	6.3040
3808-2B-MF	Inox 08	Mirror polished	✓	0.60	0.0236	1.50	0.0591	160	6.3040

3


Thin tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0203-3-PO	Dumoxel®	Polished		0.04	0.0016	0.08	0.0032	120	4.7280
0203-3-PS	Dumoxel®	Matt		0.04	0.0016	0.08	0.0032	120	4.7280
0208-3-PO	Inox 08	Polished		0.04	0.0016	0.08	0.0032	120	4.7280
0208-3-PS	Inox 08	Matt		0.04	0.0016	0.08	0.0032	120	4.7280
0209-3-PO	Dumostar®	Polished		0.04	0.0016	0.08	0.0032	120	4.7280
0209-3-PS	Dumostar®	Matt		0.04	0.0016	0.08	0.0032	120	4.7280
0508-3-PO	Inox 08	Polished	✓	0.10	0.0039	0.17	0.0067	120	4.7280
0508-3-PS	Inox 08	Matt	✓	0.10	0.0039	0.17	0.0067	120	4.7280
2408-3-MF	Inox 08	Mirror polished	✓	0.04	0.0016	0.08	0.0032	120	4.7280
3308-3-PO	Inox 08	Polished	✓	0.04	0.0016	0.08	0.0032	120	4.7280
3308-3-PS	Inox 08	Matt	✓	0.04	0.0016	0.08	0.0032	120	4.7280
3808-3-MF	Inox 08	Mirror polished	✓	0.10	0.0039	0.17	0.0067	120	4.7280

3C


Type 3 forceps, short, thin tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0203-3C-PO	Dumoxel®	Polished		0.04	0.0016	0.08	0.0032	110	4.3340
0203-3C-PS	Dumoxel®	Matt		0.04	0.0016	0.08	0.0032	110	4.3340
0208-3C-PO	Inox 08	Polished		0.04	0.0016	0.08	0.0032	110	4.3340
0208-3C-PS	Inox 08	Matt		0.04	0.0016	0.08	0.0032	110	4.3340
0209-3C-PO	Dumostar®	Polished		0.04	0.0016	0.08	0.0032	110	4.3340
0209-3C-PS	Dumostar®	Matt		0.04	0.0016	0.08	0.0032	110	4.3340
0508-3C-PO	Inox 08	Polished	✓	0.10	0.0039	0.17	0.0067	110	4.3340

4


Very thin tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0203-4-PO	Dumoxel®	Polished		0.02	0.0008	0.06	0.0024	110	4.3340
0203-4-PS	Dumoxel®	Matt		0.02	0.0008	0.06	0.0024	110	4.3340
0207-4TI-PO	Titanium	Polished		0.02	0.0008	0.06	0.0024	110	4.3340
0207-4TI-PS	Titanium	Matt		0.02	0.0008	0.06	0.0024	110	4.3340
0208-4-PO	Inox 08	Polished		0.02	0.0008	0.06	0.0024	110	4.3340
0208-4-PS	Inox 08	Matt		0.02	0.0008	0.06	0.0024	110	4.3340
0209-4-PO	Dumostar®	Polished		0.02	0.0008	0.06	0.0024	110	4.3340
0209-4-PS	Dumostar®	Matt		0.02	0.0008	0.06	0.0024	110	4.3340
0508-4-PO	Inox 08	Polished	✓	0.08	0.0032	0.13	0.0051	110	4.3340
0508-4-PS	Inox 08	Matt	✓	0.08	0.0032	0.13	0.0051	110	4.3340
2408-4-MF	Inox 08	Mirror polished	✓	0.02	0.0008	0.06	0.0024	110	4.3340
3308-4-PO	Inox 08	Polished	✓	0.02	0.0008	0.06	0.0024	110	4.3340
3308-4-PS	Inox 08	Matt	✓	0.02	0.0008	0.06	0.0024	110	4.3340
3808-4-MF	Inox 08	Mirror polished	✓	0.08	0.0032	0.13	0.0051	110	4.3340

4TM


Thin TM tips with special shape



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
1708-4TM-PO	Inox 08	Polished	✓	0.02	0.0008	0.06	0.0024	110	4.3340

5

Super thin tips




Reference	Steel / alloy	Finish	Serration	Option	A mm	inch	B mm	inch	L mm	inch
0203-5-PO	Dumoxel®	Polished			0.01	0.0004	0.05	0.0020	110	4.3340
0203-5-PS	Dumoxel®	Matt			0.01	0.0004	0.05	0.0020	110	4.3340
0207-5TI-PO	Titanium	Polished			0.01	0.0004	0.05	0.0020	110	4.3340
0207-5TI-PS	Titanium	Matt			0.01	0.0004	0.05	0.0020	110	4.3340
0208-5-PO	Inox 08	Polished			0.01	0.0004	0.05	0.0020	110	4.3340
0208-5-PS	Inox 08	Matt			0.01	0.0004	0.05	0.0020	110	4.3340
0208-5SPSF-PO	Inox 08	Polished			0.005	0.0002	0.025	0.0010	110	4.3340
0209-5-PO	Dumostar®	Polished			0.01	0.0004	0.05	0.0020	110	4.3340
0209-5-PS	Dumostar®	Matt			0.01	0.0004	0.05	0.0020	110	4.3340
0503-5-PO	Dumoxel®	Polished	✓		0.06	0.0024	0.10	0.0039	110	4.3340
0508-5-PO	Inox 08	Polished	✓		0.06	0.0024	0.10	0.0039	110	4.3340
0508-5-PS	Inox 08	Matt	✓		0.06	0.0024	0.10	0.0039	110	4.3340
2408-5-MF	Inox 08	Mirror polished	✓		0.01	0.0004	0.05	0.0020	110	4.3340
2408-5SF-MF	Inox 08	Mirror polished	✓		0.015	0.0006	0.025	0.0010	108	4.2552
2408-5TMF-MF	Inox 08	Mirror polished	✓	TMF	0.01	0.0004	0.05	0.0020	110	4.3340
2409-5SF-MF	Dumostar®	Mirror polished	✓		0.015	0.0006	0.025	0.0010	108	4.2552
3308-5-PO	Inox 08	Polished	✓		0.01	0.0004	0.05	0.0020	110	4.3340
3308-5-PS	Inox 08	Matt	✓		0.01	0.0004	0.05	0.0020	110	4.3340
3808-5-MF	Inox 08	Mirror polished	✓		0.06	0.0024	0.10	0.0039	110	4.3340
3808-5TMF-MF	Inox 08	Mirror polished	✓	TMF	0.06	0.0024	0.10	0.0039	110	4.3340

TMF=Mirror-finished tips

5A


Oblique tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0203-5A-PO	Dumoxel®	Polished		0.01	0.0004	0.05	0.0020	115	4.5310
0203-5A-PS	Dumoxel®	Matt		0.01	0.0004	0.05	0.0020	115	4.5310
0208-5A-PO	Inox 08	Polished		0.02	0.0008	0.06	0.0024	115	4.5310
0208-5A-PS	Inox 08	Matt		0.02	0.0008	0.06	0.0024	115	4.5310
0508-5A-PO	Inox 08	Polished	✓	0.08	0.0032	0.13	0.0051	115	4.5310
0508-5A-PS	Inox 08	Matt	✓	0.08	0.0032	0.13	0.0051	115	4.5310
2408-5A-MF	Inox 08	Mirror polished	✓	0.02	0.0008	0.06	0.0024	115	4.5310
3308-5A-PO	Inox 08	Polished	✓	0.02	0.0008	0.06	0.0024	115	4.5310
3308-5A-PS	Inox 08	Matt	✓	0.02	0.0008	0.06	0.0024	115	4.5310
3808-5A-MF	Inox 08	Mirror polished	✓	0.08	0.0032	0.13	0.0051	115	4.5310

5CO/L




Type 5 forceps, light shanks, super thin tips, low pressure



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
3309-5CO/L-PO	Inox 08	Polished	✓	0.01	0.0004	0.05	0.0020	110	4.3340

5XL





Type 5 forceps, long, super thin tips, for large hands



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-5XL-PS	Inox 08	Matt	✓	0.06	0.0024	0.10	0.0039	150	5.9100

24


Minute wheels stud tongs



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-24-PO	Inox 08	Polished	✓	0.50	0.0197	0.50	0.0197	150	5.9100
0508-24-PS	Inox 08	Matt	✓	0.50	0.0197	0.50	0.0197	150	5.9100
3808-24-MF	Inox 08	Mirror polished	✓	0.50	0.0197	0.50	0.0197	150	5.9100

45

Thin tips




Reference	Steel / alloy	Finish	Serration	Option	A mm	inch	B mm	inch	L mm	inch
0202-45-PO	Inox 02	Polished	✓		0.06	0.0024	0.10	0.0039	120	4.7280
0203-45-PO	Dumoxel®	Polished	✓	DB	0.06	0.0024	0.10	0.0039	120	4.7280

DB

50


Geneva pattern, light weight, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0208-50-PO	Inox 08	Polished	0.01	0.0004	0.05	0.0020	115	4.5310

54


Type 4 forceps, light weight, very thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-54-PO	Inox 02	Polished	0.02	0.0008	0.06	0.0024	110	4.3340
0203-54-PO	Dumoxel®	Polished	0.02	0.0008	0.06	0.0024	110	4.3340

55





Type 5 forceps, light shanks, very thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0203-55-PO	Dumoxel®	Polished	0.01	0.0004	0.05	0.0020	110	4.3340
0203-55-PS	Dumoxel®	Matt	0.01	0.0004	0.05	0.0020	110	4.3340
0207-55TI-PO	Titanium	Polished	0.01	0.0004	0.05	0.0020	110	4.3340
0208-55-PO	Inox 08	Polished	0.01	0.0004	0.05	0.0020	110	4.3340
0208-55-PS	Inox 08	Matt	0.01	0.0004	0.05	0.0020	110	4.3340
0209-55-PO	Dumostar®	Polished	0.01	0.0004	0.05	0.0020	110	4.3340
0209-55-PS	Dumostar®	Matt	0.01	0.0004	0.05	0.0020	110	4.3340

180





Long shanks, strong tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-180-PO	Inox 08	Polished	✓	0.50	0.0197	0.50	0.0197	180	7.0920
0508-180-PS	Inox 08	Matt	✓	0.50	0.0197	0.50	0.0197	180	7.0920
3308-180F-PO	Inox 08	Polished	✓	0.25	0.0099	0.25	0.0099	180	7.0920
3308-180F-PS	Inox 08	Matt	✓	0.25	0.0099	0.25	0.0099	180	7.0920
3808-180-MF	Inox 08	Mirror polished	✓	0.50	0.0197	0.50	0.0197	180	7.0920

I80CORN


Strong tips with a hole in the end



Reference	Steel / alloy	Finish	Serration	A	inch	B	inch	C	inch	L	inch
0508-I80COR-PO	Inox 08	Polished	✓	0.33	0.0130	1.00	0.0394	∅ 0.30	0.0118	180	7.0920

L1


Strong tips, clamping ring



Reference	Steel / alloy	Finish	Serration	A	inch	B	inch	L	inch
0508-L1-PO	Inox 08	Polished	✓	0.14	0.0055	0.34	0.0134	120	4.7280
3308-L1-PO	Inox 08	Polished	✓	0.06	0.0024	0.10	0.0039	120	4.7280

L2


Strong square tips, clamping ring



Reference	Steel / alloy	Finish	Serration	A	inch	B	inch	L	inch
0508-L2-PO	Inox 08	Polished	✓	0.14	0.0055	0.34	0.0134	120	4.7280
3308-L2-PO	Inox 08	Polished	✓	0.07	0.0028	0.17	0.0067	120	4.7280

L3


Thin tips, clamping ring



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0503-L3-PO	Dumoxel®	Polished	✓	0.10	0.0039	0.17	0.0067	120	4.7280
0508-L3-PO	Inox 08	Polished	✓	0.10	0.0039	0.17	0.0067	120	4.7280
3308-L3-PO	Inox 08	Polished	✓	0.04	0.0016	0.08	0.0032	120	4.7280

L4


Very thin tips, clamping ring



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0503-L4-PO	Dumoxel®	Polished	✓	0.08	0.0032	0.13	0.0051	110	4.3340
0508-L4-PO	Inox 08	Polished	✓	0.08	0.0032	0.13	0.0051	110	4.3340
3308-L4-PO	Inox 08	Polished	✓	0.02	0.0008	0.06	0.0024	110	4.3340

L5


Super thin tips, clamping ring



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0203-L5-PO	Dumoxel®	Polished		0.01	0.0004	0.05	0.0020	110	4.3340
0209-L5-PO	Dumostar®	Polished		0.01	0.0004	0.05	0.0020	110	4.3340
0503-L5-PO	Dumoxel®	Polished	✓	0.06	0.0024	0.10	0.0039	110	4.3340
0508-L5-PO	Inox 08	Polished	✓	0.06	0.0024	0.10	0.0039	110	4.3340
3308-L5-PO	Inox 08	Polished	✓	0.01	0.0004	0.05	0.0020	110	4.3340

L2A


Flat, rounded tips, clamping ring



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-L2A-PO	Inox 08	Polished	✓	0.20	0.0079	1.50	0.0591	120	4.7280
3308-L2A-PO	Inox 08	Polished	✓	0.20	0.0079	1.50	0.0591	120	4.7280

L5A


Oblique tips, clamping ring



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0203-L5A-PO	Dumoxel®	Polished		0.01	0.0004	0.05	0.0020	115	4.5310
0508-L5A-PO	Inox 08	Polished	✓	0.08	0.0032	0.13	0.0051	115	4.5310
3308-L5A-PO	Inox 08	Polished	✓	0.01	0.0004	0.05	0.0020	115	4.5310

LPP


Strong tips, clamping ring



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-LPP-PO	Inox 08	Polished	✓	0.14	0.0055	0.24	0.0095	135	5.3190

PP


Strong tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-PP-PO	Inox 08	Polished	✓	0.14	0.0055	0.24	0.0095	135	5.3190
2408-PP-MF	Inox 08	Mirror polished	✓	0.06	0.0024	0.10	0.0039	135	5.3190
3308-PP-PO	Inox 08	Polished	✓	0.06	0.0024	0.10	0.0039	135	5.3190
3308-PP-PS	Inox 08	Matt	✓	0.06	0.0024	0.10	0.0039	135	5.3190
3808-PP-MF	Inox 08	Mirror polished	✓	0.14	0.0055	0.24	0.0095	135	5.3190

SS


Long and narrow shanks, thin tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-SS-PO	Inox 08	Polished	✓	0.12	0.0047	0.20	0.0079	135	5.3190
2408-SS-MF	Inox 08	Mirror polished	✓	0.06	0.0024	0.10	0.0039	135	5.3190
3308-SS-PO	Inox 08	Polished	✓	0.06	0.0024	0.10	0.0039	135	5.3190
3308-SS-PS	Inox 08	Matt	✓	0.06	0.0024	0.10	0.0039	135	5.3190
3808-SS-MF	Inox 08	Mirror polished	✓	0.12	0.0047	0.20	0.0079	135	5.3190

SSI35





Long and narrow shanks, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0203-SSI35-PO	Dumoxel®	Polished	0.06	0.0024	0.10	0.0039	135	5.3190
0203-SSI35-PS	Dumoxel®	Matt	0.06	0.0024	0.10	0.0039	135	5.3190
0208-SSI35-PO	Inox 08	Polished	0.06	0.0024	0.10	0.0039	135	5.3190
0208-SSI35-PS	Inox 08	Matt	0.06	0.0024	0.10	0.0039	135	5.3190
0209-SSI35-PO	Dumostar®	Polished	0.06	0.0024	0.10	0.0039	135	5.3190

SSI40


Long and narrow shanks, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0209-SSI40-PO	Dumostar®	Polished	0.06	0.0024	0.10	0.0039	140	5.5160

4AC


Anti-capillary, very thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0208-4AC-PO	Inox 08	Polished	0.02	0.0008	0.06	0.0024	110	4.3340

5/15


Thin tips, bent 15°



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0203-5/15-PO	Dumoxel®	Polished	0.01	0.0004	0.05	0.0020	105	4.1370
0203-5/15-PS	Dumoxel®	Matt	0.01	0.0004	0.05	0.0020	105	4.1370
0208-5/15-PO	Inox 08	Polished	0.01	0.0004	0.05	0.0020	105	4.1370
0208-5/15-PS	Inox 08	Matt	0.01	0.0004	0.05	0.0020	105	4.1370

5/45


Thin tips, bent 45°



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0203-5/45-PO	Dumoxel®	Polished		0.01	0.0004	0.05	0.0020	109	4.2946
0203-5/45-PS	Dumoxel®	Matt		0.01	0.0004	0.05	0.0020	109	4.2946
0208-5/45-PO	Inox 08	Polished		0.01	0.0004	0.05	0.0020	109	4.2946
0208-5/45-PS	Inox 08	Matt		0.01	0.0004	0.05	0.0020	109	4.2946
0508-5/45-PO	Inox 08	Polished	✓	0.06	0.0024	0.10	0.0039	109	4.2946
0508-5/45-PS	Inox 08	Matt	✓	0.06	0.0024	0.10	0.0039	109	4.2946
2408-5/45-MF	Inox 08	Mirror polished	✓	0.01	0.0004	0.05	0.0020	109	4.2946
3308-5/45-PO	Inox 08	Polished	✓	0.01	0.0004	0.05	0.0020	109	4.2946
3308-5/45-PS	Inox 08	Matt	✓	0.01	0.0004	0.05	0.0020	109	4.2946
3808-5/45-MF	Inox 08	Mirror polished	✓	0.06	0.0024	0.10	0.0039	109	4.2946

5/90


Thin tips, bent 90°



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0203-5/90-PO	Dumoxel®	Polished		0.01	0.0004	0.05	0.0020	106	4.1764
0203-5/90-PS	Dumoxel®	Matt		0.01	0.0004	0.05	0.0020	106	4.1764
0208-5/90-PO	Inox 08	Polished		0.01	0.0004	0.05	0.0020	106	4.1764
0208-5/90-PS	Inox 08	Matt		0.01	0.0004	0.05	0.0020	106	4.1764
0508-5/90-PO	Inox 08	Polished	✓	0.06	0.0024	0.10	0.0039	106	4.1764
0508-5/90-PS	Inox 08	Matt	✓	0.06	0.0024	0.10	0.0039	106	4.1764
2408-5/90-MF	Inox 08	Mirror polished	✓	0.01	0.0004	0.05	0.0020	106	4.1764
3308-5/90-PO	Inox 08	Polished	✓	0.01	0.0004	0.05	0.0020	106	4.1764
3308-5/90-PS	Inox 08	Matt	✓	0.01	0.0004	0.05	0.0020	106	4.1764
3808-5/90-MF	Inox 08	Mirror polished	✓	0.06	0.0024	0.10	0.0039	106	4.1764

5AC


Anti-capillary, very thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0203-5AC-PO	Dumoxel®	Polished	0.02	0.0008	0.07	0.0028	115	4.5310
0203-5AC-PS	Dumoxel®	Matt	0.02	0.0008	0.07	0.0028	115	4.5310
0207-5ACTI-PO	Titanium	Polished	0.02	0.0008	0.07	0.0028	115	4.5310
0207-5ACTI-PS	Titanium	Matt	0.02	0.0008	0.07	0.0028	115	4.5310
0208-5AC-PO	Inox 08	Polished	0.02	0.0008	0.07	0.0028	115	4.5310
0208-5AC-PS	Inox 08	Matt	0.02	0.0008	0.07	0.0028	115	4.5310

5TM


Oblique thin TM tips, with special shape



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
1708-5TM-PO	Inox 08	Polished	✓	0.01	0.0004	0.05	0.0020	110	4.3340

6


Thin, hooked tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0203-6-PO	Dumoxel®	Polished		0.03	0.0012	0.07	0.0028	115	4.5310
0203-6-PS	Dumoxel®	Matt		0.03	0.0012	0.07	0.0028	115	4.5310
0207-6TI-PO	Titanium	Polished		0.03	0.0012	0.07	0.0028	115	4.5310
0207-6TI-PS	Titanium	Matt		0.03	0.0012	0.07	0.0028	115	4.5310
0208-6-PO	Inox 08	Polished		0.03	0.0012	0.07	0.0028	115	4.5310
0208-6-PS	Inox 08	Matt		0.03	0.0012	0.07	0.0028	115	4.5310
0508-6-PO	Inox 08	Polished	✓	0.10	0.0039	0.17	0.0067	115	4.5310
2408-6-MF	Inox 08	Mirror polished	✓	0.03	0.0012	0.07	0.0028	115	4.5310
3308-6-PO	Inox 08	Polished	✓	0.03	0.0012	0.07	0.0028	115	4.5310
3308-6-PS	Inox 08	Matt	✓	0.03	0.0012	0.07	0.0028	115	4.5310
3808-6-MF	Inox 08	Mirror polished	✓	0.10	0.0039	0.17	0.0067	115	4.5310

7


Curved and thin tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0203-7-PO	Dumoxel®	Polished		0.03	0.0012	0.07	0.0028	115	4.5310
0203-7-PS	Dumoxel®	Matt		0.03	0.0012	0.07	0.0028	115	4.5310
0207-7TI-PO	Titanium	Polished		0.03	0.0012	0.07	0.0028	115	4.5310
0207-7TI-PS	Titanium	Matt		0.03	0.0012	0.07	0.0028	115	4.5310
0208-7-PO	Inox 08	Polished		0.03	0.0012	0.07	0.0028	115	4.5310
0208-7-PS	Inox 08	Matt		0.03	0.0012	0.07	0.0028	115	4.5310
0209-7-PO	Dumostar®	Polished		0.03	0.0012	0.07	0.0028	115	4.5310
0209-7-PS	Dumostar®	Matt		0.03	0.0012	0.07	0.0028	115	4.5310
0503-7-PO	Dumoxel®	Polished	✓	0.10	0.0039	0.17	0.0067	115	4.5310
0508-7-PO	Inox 08	Polished	✓	0.10	0.0039	0.17	0.0067	115	4.5310
0508-7-PS	Inox 08	Matt	✓	0.10	0.0039	0.17	0.0067	115	4.5310
2408-7-MF	Inox 08	Mirror polished	✓	0.03	0.0012	0.07	0.0028	115	4.5310
3308-7-PO	Inox 08	Polished	✓	0.03	0.0012	0.07	0.0028	115	4.5310
3308-7-PS	Inox 08	Matt	✓	0.03	0.0012	0.07	0.0028	115	4.5310
3808-7-MF	Inox 08	Mirror polished	✓	0.10	0.0039	0.17	0.0067	115	4.5310

7A


Curved and strong tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0203-7A-PO	Dumoxel®	Polished		0.06	0.0024	0.10	0.0039	115	4.5310
0203-7A-PS	Dumoxel®	Matt		0.06	0.0024	0.10	0.0039	115	4.5310
0208-7A-PO	Inox 08	Polished		0.06	0.0024	0.10	0.0039	115	4.5310
0208-7A-PS	Inox 08	Matt		0.06	0.0024	0.10	0.0039	115	4.5310
0508-7A-PO	Inox 08	Polished	✓	0.16	0.0063	0.24	0.0095	115	4.5310
3808-7A-MF	Inox 08	Mirror polished	✓	0.16	0.0063	0.24	0.0095	115	4.5310

7B


Curved tips with inside tip serrations



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-7B-PO	Inox 08	Polished	✓	0.10	0.0039	0.17	0.0067	115	4.5310
0508-7B-PS	Inox 08	Matt	✓	0.10	0.0039	0.17	0.0067	115	4.5310
3808-7B-MF	Inox 08	Mirror polished	✓	0.10	0.0039	0.17	0.0067	115	4.5310

7S





Small curved and thin tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0208-7S-PO	Inox 08	Polished		0.03	0.0012	0.07	0.0028	117	4.6098
0208-7S-PS	Inox 08	Matt		0.03	0.0012	0.07	0.0028	117	4.6098
0508-7S-PO	Inox 08	Polished	✓	0.10	0.0039	0.17	0.0067	117	4.6098
0508-7S-PS	Inox 08	Matt	✓	0.10	0.0039	0.17	0.0067	117	4.6098
2408-7S-MF	Inox 08	Mirror polished	✓	0.03	0.0012	0.07	0.0028	117	4.6098
3308-7S-PO	Inox 08	Polished	✓	0.03	0.0012	0.07	0.0028	117	4.6098
3808-7S-MF	Inox 08	Mirror polished	✓	0.10	0.0039	0.17	0.0067	117	4.6098

24/45


Strong tips, bent 45° with inside serrations



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-24/45-PO	Inox 08	Polished	✓	0.50	0.0197	0.50	0.0197	145	5.7130
0508-24/45-PS	Inox 08	Matt	✓	0.50	0.0197	0.50	0.0197	145	5.7130
3808-24/45-MF	Inox 08	Mirror polished	✓	0.50	0.0197	0.50	0.0197	145	5.7130

L3AC


Anti-capillary, thin tips, clamping ring



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0208-L3AC-PO	Inox 08	Polished	0.04	0.0016	0.08	0.0032	120	4.7280

L5AC


Anti-capillary, super thin tips, with clamping ring



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0208-L5AC-PO	Inox 08	Polished	0.02	0.0008	0.07	0.0028	115	4.5310

L6


Thin hooked tips, with clamping ring



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-L6-PO	Inox 08	Polished	✓	0.10	0.0039	0.17	0.0067	115	4.5310
3308-L6-PO	Inox 08	Polished	✓	0.03	0.0012	0.07	0.0028	115	4.5310

L7


Small curved and thin tips, with clamping ring



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0203-L7-PO	Dumoxel®	Polished		0.03	0.0012	0.07	0.0028	115	4.5310
0208-L7-PO	Inox 08	Polished		0.03	0.0012	0.07	0.0028	115	4.5310
0503-L7-PO	Dumoxel®	Polished	✓	0.10	0.0039	0.17	0.0067	115	4.5310
0508-L7-PO	Inox 08	Polished	✓	0.10	0.0039	0.17	0.0067	115	4.5310
3308-L7-PO	Inox 08	Polished	✓	0.03	0.0012	0.07	0.0028	115	4.5310

L7B


Curved tips, inside tip serrations, with clamping ring



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-L7B-PO	Inox 08	Polished	✓	0.10	0.0039	0.17	0.0067	115	4.5310

PP/45



Strong tips, bent 45°



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-PP/45-PO	Inox 08	Polished	✓	0.14	0.0055	0.24	0.0095	133	5.2402
2408-PP/45-MF	Inox 08	Mirror polished	✓	0.06	0.0024	0.10	0.0039	133	5.2402
3308-PP/45-PO	Inox 08	Polished	✓	0.06	0.0024	0.10	0.0039	133	5.2402
3308-PP/45-PS	Inox 08	Matt	✓	0.06	0.0024	0.10	0.0039	133	5.2402
3808-PP/45-MF	Inox 08	Mirror polished	✓	0.14	0.0055	0.24	0.0095	133	5.2402

SS/45


Long and narrow shanks, thin tips, bent 45°



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0508-SS/45-PO	Inox 08	Polished	✓	0.12	0.0047	0.20	0.0079	133	5.2402
2408-SS/45-MF	Inox 08	Mirror polished	✓	0.06	0.0024	0.10	0.0039	133	5.2402
3308-SS/45-PO	Inox 08	Polished	✓	0.06	0.0024	0.10	0.0039	133	5.2402
3308-SS/45-PS	Inox 08	Matt	✓	0.06	0.0024	0.10	0.0039	133	5.2402
3808-SS/45-MF	Inox 08	Mirror polished	✓	0.12	0.0047	0.20	0.0079	133	5.2402

12 ART


Arteriotomy clamp, hole-size width 1.2 mm



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0508-12ART-PO	Inox 08	Polished	0.40	0.0158	1.20	0.0473	Ø 0.60	0.0236	126	4.9644

18 ART


Arteriotomy clamp, hole-size width 1.8 mm



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0508-18ART-PO	Inox 08	Polished	0.50	0.0197	1.80	0.0709	Ø 1	0.0394	122	4.8068

24 ART


Arteriotomy clamp, hole-size width 2.4 mm



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0508-24ART-PO	Inox 08	Polished	0.70	0.0276	2.40	0.0946	Ø 1.60	0.0630	117	4.6098

CN 0.5


Nerve and tendon holding forceps, ø 0.5



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0503-CN0.5-PO	Dumoxel®	Polished	1.30	0.0512	3.20	0.1261	Ø 0.5	0.0197	94	3.7036

CN 1


Nerve and tendon holding forceps, \varnothing 1



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0503-CN1-PO	Dumoxel®	Polished	1.30	0.0512	3.20	0.1261	\varnothing 1.0	0.0394	94	3.7036

CN 1.5


Nerve and tendon holding forceps, \varnothing 1.5



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0503-CN1.5-PO	Dumoxel®	Polished	1.30	0.0512	3.20	0.1261	\varnothing 1.5	0.0591	94	3.7036

CN 2


Nerve and tendon holding forceps, \varnothing 2



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0503-CN2-PO	Dumoxel®	Polished	0.75	0.0296	5.20	0.2049	\varnothing 2.0	0.0788	99.4	0.0000

CN 2.5


Nerve and tendon holding forceps, \varnothing 2.5



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0503-CN2.5-PO	Dumoxel®	Polished	0.75	0.0296	5.20	0.2049	\varnothing 2.5	0.0985	99.1	0.0000

CN 3


Nerve and tendon holding forceps, ø 3



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0503-CN3-PO	Dumoxel®	Polished	0.75	0.0296	5.20	0.2049	ø 3.0	0.1182	98.8	0.0000

CN 3.5


Nerve and tendon holding forceps, ø 3.5



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0503-CN3.5-PO	Dumoxel®	Polished	0.75	0.0296	5.20	0.2049	ø 3.5	0.1379	98.5	0.0000

CN 4


Nerve and tendon holding forceps, ø 4



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0503-CN4-PO	Dumoxel®	Polished	0.75	0.0296	5.20	0.2049	ø 4.0	0.1576	98.2	0.0000

CN 5


Nerve and tendon holding forceps, ø 5



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0503-CN5-PO	Dumoxel®	Polished	0.75	0.0296	5.20	0.2049	ø 5.0	0.1970	97.7	0.0000

CN 6


Nerve and tendon holding forceps, ø 6



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0503-CN6-PO	Dumoxel®	Polished	0.75	0.0296	5.20	0.2049	ø 6.0	0.2364	96.9	0.0000

CN 7


Nerve and tendon holding forceps, ø 7



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0503-CN7-PO	Dumoxel®	Polished	0.75	0.0296	5.20	0.2049	ø 7.0	0.2758	96.5	0.0000

N0


Type 0 forceps, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-N0-PO	Inox 02	Polished	0.04	0.0016	0.08	0.0032	115	4.5310
0202-N0-PS	Inox 02	Matt	0.04	0.0016	0.08	0.0032	115	4.5310
0203-N0-PO	Dumoxel®	Polished	0.04	0.0016	0.08	0.0032	115	4.5310
0203-N0-PS	Dumoxel®	Matt	0.04	0.0016	0.08	0.0032	115	4.5310

N0C


Type 0 forceps, short, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-N0C-PO	Inox 02	Polished	0.04	0.0016	0.08	0.0032	108	4.2552
0202-N0C-PS	Inox 02	Matt	0.04	0.0016	0.08	0.0032	108	4.2552
0203-N0C-PO	Dumoxel®	Polished	0.04	0.0016	0.08	0.0032	108	4.2552
0203-N0C-PS	Dumoxel®	Matt	0.04	0.0016	0.08	0.0032	108	4.2552

N3


Type 3 forceps, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-N3-PO	Inox 02	Polished	0.04	0.0016	0.08	0.0032	118	4.6492
0202-N3-PS	Inox 02	Matt	0.04	0.0016	0.08	0.0032	118	4.6492
0203-N3-PO	Dumoxel®	Polished	0.04	0.0016	0.08	0.0032	118	4.6492
0203-N3-PS	Dumoxel®	Matt	0.04	0.0016	0.08	0.0032	118	4.6492

N3C


Type 3 forceps, short, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-N3C-PO	Inox 02	Polished	0.04	0.0016	0.08	0.0032	108	4.2552
0202-N3C-PS	Inox 02	Matt	0.04	0.0016	0.08	0.0032	108	4.2552
0203-N3C-PO	Dumoxel®	Polished	0.04	0.0016	0.08	0.0032	108	4.2552
0203-N3C-PS	Dumoxel®	Matt	0.04	0.0016	0.08	0.0032	108	4.2552

N4


Type 4 forceps, very thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-N4-PO	Inox 02	Polished	0.02	0.0008	0.06	0.0024	108	4.2552
0202-N4-PS	Inox 02	Matt	0.02	0.0008	0.06	0.0024	108	4.2552
0203-N4-PO	Dumoxel®	Polished	0.02	0.0008	0.06	0.0024	108	4.2552
0203-N4-PS	Dumoxel®	Matt	0.02	0.0008	0.06	0.0024	108	4.2552

N4AC


Anti-capillary, type 4 forceps, very thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-N4AC-PO	Inox 02	Polished	0.02	0.0008	0.07	0.0028	108	4.2552
0202-N4AC-PS	Inox 02	Matt	0.02	0.0008	0.07	0.0028	108	4.2552
0203-N4AC-PO	Dumoxel®	Polished	0.02	0.0008	0.07	0.0028	108	4.2552
0203-N4AC-PS	Dumoxel®	Matt	0.02	0.0008	0.07	0.0028	108	4.2552

N5


Type 5 forceps, super thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-N5-PO	Inox 02	Polished	0.01	0.0004	0.05	0.0020	108	4.2552
0202-N5-PS	Inox 02	Matt	0.01	0.0004	0.05	0.0020	108	4.2552
0203-N5-PO	Dumoxel®	Polished	0.01	0.0004	0.05	0.0020	108	4.2552
0203-N5-PS	Dumoxel®	Matt	0.01	0.0004	0.05	0.0020	108	4.2552
0207-N5TI-PO	Titanium	Polished	0.01	0.0004	0.05	0.0020	108	4.2552
0207-N5TI-PS	Titanium	Matt	0.01	0.0004	0.05	0.0020	108	4.2552

N5/15


Type 5 forceps, super thin tips, bent 15°



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-N5/15-PO	Inox 02	Polished	0.01	0.0004	0.05	0.0020	106	4.1764
0202-N5/15-PS	Inox 02	Matt	0.01	0.0004	0.05	0.0020	106	4.1764
0203-N5/15-PO	Dumoxel®	Polished	0.01	0.0004	0.05	0.0020	106	4.1764
0203-N5/15-PS	Dumoxel®	Matt	0.01	0.0004	0.05	0.0020	106	4.1764

N5A


Type 5A forceps, super thin oblique tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-N5A-PO	Inox 02	Polished	0.02	0.0008	0.06	0.0024	113	4.4522
0202-N5A-PS	Inox 02	Matt	0.02	0.0008	0.06	0.0024	113	4.4522
0203-N5A-PO	Dumoxel®	Polished	0.02	0.0008	0.06	0.0024	113	4.4522
0203-N5A-PS	Dumoxel®	Matt	0.02	0.0008	0.06	0.0024	113	4.4522

N6


Type 6 forceps, hooked thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-N6-PO	Inox 02	Polished	0.03	0.0012	0.07	0.0028	113	4.4522
0202-N6-PS	Inox 02	Matt	0.03	0.0012	0.07	0.0028	113	4.4522
0203-N6-PO	Dumoxel®	Polished	0.03	0.0012	0.07	0.0028	113	4.4522
0203-N6-PS	Dumoxel®	Matt	0.03	0.0012	0.07	0.0028	113	4.4522

N7


Type 7 forceps, curved thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-N7-PO	Inox 02	Polished	0.03	0.0012	0.07	0.0028	115	4.5310
0202-N7-PS	Inox 02	Matt	0.03	0.0012	0.07	0.0028	115	4.5310
0203-N7-PO	Dumoxel®	Polished	0.03	0.0012	0.07	0.0028	115	4.5310
0203-N7-PS	Dumoxel®	Matt	0.03	0.0012	0.07	0.0028	115	4.5310
0207-N7TI-PO	Titanium	Polished	0.03	0.0012	0.07	0.0028	115	4.5310
0207-N7TI-PS	Titanium	Matt	0.03	0.0012	0.07	0.0028	115	4.5310

N7AC


Anti-capillary, type 7, super thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-N7AC-PO	Inox 02	Polished	0.04	0.0016	0.09	0.0035	115	4.5310
0202-N7AC-PS	Inox 02	Matt	0.04	0.0016	0.09	0.0035	115	4.5310
0203-N7AC-PO	Dumoxel®	Polished	0.04	0.0016	0.09	0.0035	115	4.5310
0203-N7AC-PS	Dumoxel®	Matt	0.04	0.0016	0.09	0.0035	115	4.5310

M3


Type 3 mini forceps, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0202-M3S-PO	Inox 02	Polished	0.04	0.0016	0.08	0.0032	70	2.7580
0203-M3SA-PO	Dumoxel®	Polished	0.04	0.0016	0.08	0.0032	70	2.7580

M5

Type 5 mini forceps, super thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0203-M5SA-PO	Dumoxel®	Polished	0.01	0.0004	0.05	0.0020	85	3.3490

Watch-making



Jewellery



Electronics & Industry



Medical & Biology



Cosmetic



SWISS  MADE

Manufactures d'Outils DUMONT® SA
Rue Théodore Dumont 1 – 2924 Montignez – Switzerland
Phone +41 32 475 21 21 – Fax +41 32 475 21 25
www.dumonttools.com – info@dumonttools.com