


D U M O N T<sup>®</sup>



SWISS  MADE




*Straight tweezers*  
*Curved & angled tweezers*  
*Cutting tweezers*  
*Self-closing tweezers*  
*Mini tweezers*  
*Pliers*



**WATCH-MAKING**

0


Geneva pattern, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-0-PO	Carbon	Polished	0.08	0.0032	0.13	0.0051	115	4.5310
0102-0-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0102-0-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	115	4.5310
0103-0-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0103-0-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	115	4.5310

00


Geneva pattern, strong tips, thick body



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-00-PO	Carbon	Polished	0.25	0.0099	0.45	0.0177	115	4.5310
0102-00-PO	Inox 02	Polished	0.25	0.0099	0.45	0.0177	115	4.5310
0102-00-PS	Inox 02	Matt	0.25	0.0099	0.45	0.0177	115	4.5310
0103-00-PO	Dumoxel®	Polished	0.25	0.0099	0.45	0.0177	115	4.5310
0103-00-PS	Dumoxel®	Matt	0.25	0.0099	0.45	0.0177	115	4.5310

00C

Geneva pattern, strong tips, short body



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-00C-PO	Carbon	Polished	0.25	0.0099	0.45	0.0177	105	4.1370
0102-00C-PO	Inox 02	Polished	0.25	0.0099	0.45	0.0177	105	4.1370
0102-00C-PS	Inox 02	Matt	0.25	0.0099	0.45	0.0177	105	4.1370
0103-00C-PO	Dumoxel®	Polished	0.25	0.0099	0.45	0.0177	105	4.1370
0103-00C-PS	Dumoxel®	Matt	0.25	0.0099	0.45	0.0177	105	4.1370

00SPBRA


Type 00 tweezers for strap, tips upon request



Reference	Steel / alloy	Finish	L mm	inch
5303-00SPBRA-PO	Dumoxel®	Polished	115	4.5310

0A


Thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-0A-PO	Carbon	Polished	0.06	0.0024	0.10	0.0039	120	4.7280
0102-0A-PO	Inox 02	Polished	0.08	0.0032	0.13	0.0051	120	4.7280
0102-0A-PS	Inox 02	Matt	0.08	0.0032	0.13	0.0051	120	4.7280
0103-0A-PO	Dumoxel®	Polished	0.08	0.0032	0.13	0.0051	120	4.7280
0103-0A-PS	Dumoxel®	Matt	0.08	0.0032	0.13	0.0051	120	4.7280

0C100


Geneva pattern



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-0C100-PO	Carbon	Polished	0.08	0.0032	0.13	0.0051	100	3.9400
0102-0C100-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	100	3.9400
0102-0C100-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	100	3.9400
0103-0C100-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	100	3.9400
0103-0C100-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	100	3.9400

0C90


Geneva pattern, short



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-0C90-PO	Carbon	Polished	0.08	0.0032	0.13	0.0051	90	3.5460
0102-0C90-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	90	3.5460
0102-0C90-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	90	3.5460
0103-0C90-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	90	3.5460
0103-0C90-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	90	3.5460

I


Strong tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-I-PO	Carbon	Polished	0.10	0.0039	0.17	0.0067	120	4.7280
0102-I-PO	Inox 02	Polished	0.12	0.0047	0.20	0.0079	120	4.7280
0102-I-PS	Inox 02	Matt	0.12	0.0047	0.20	0.0079	120	4.7280
0103-I-PO	Dumoxel®	Polished	0.12	0.0047	0.20	0.0079	120	4.7280
0103-I-PS	Dumoxel®	Matt	0.12	0.0047	0.20	0.0079	120	4.7280
0109-I-PO	Dumostar®	Polished	0.12	0.0047	0.20	0.0079	120	4.7280
0109-I-PS	Dumostar®	Matt	0.12	0.0047	0.20	0.0079	120	4.7280
5302-I-PO	Inox 02	Polished	0.12	0.0047	0.20	0.0079	120	4.7280

IL

Strong, flat and rounded tips with inside chamfer




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
5306-IL-PS	Brass	Matt	TMF	0.20	0.0079	2.00	0.0788	125	4.9250

TMF=Mirror-finished tips

IAM


Strong tips. Very popular in watch-making



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
5306-IAM-PS	Brass	Matt	0.12	0.0047	0.20	0.0079	120	4.7280

ISPBRA


Type I tweezers for strap. Tips upon request



Reference	Steel / alloy	Finish	L mm	inch
5301-ISPBRA-PO	Carbon	Polished	108	4.2552

2


Strong tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-2-PO	Carbon	Polished	0.12	0.0047	0.30	0.0118	120	4.7280
0102-2-PO	Inox 02	Polished	0.14	0.0055	0.34	0.0134	120	4.7280
0102-2-PS	Inox 02	Matt	0.14	0.0055	0.34	0.0134	120	4.7280
0103-2-PO	Dumoxel®	Polished	0.14	0.0055	0.34	0.0134	120	4.7280
0103-2-PS	Dumoxel®	Matt	0.14	0.0055	0.34	0.0134	120	4.7280
0105-2NI-PO	Nickel	Polished	0.14	0.0055	0.34	0.0134	120	4.7280
0105-2NI-PS	Nickel	Matt	0.14	0.0055	0.34	0.0134	120	4.7280
0109-2-PO	Dumostar®	Polished	0.14	0.0055	0.34	0.0134	120	4.7280
0109-2-PS	Dumostar®	Matt	0.14	0.0055	0.34	0.0134	120	4.7280
5302-2-PO	Inox 02	Polished	0.14	0.0055	0.34	0.0134	120	4.7280

2A

Flat, rounded tips




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
0101-2A-PO	Carbon	Polished		0.20	0.0079	1.50	0.0591	120	4.7280
0102-2A-PO	Inox 02	Polished		0.20	0.0079	1.50	0.0591	120	4.7280
0102-2A-PS	Inox 02	Matt		0.20	0.0079	1.50	0.0591	120	4.7280
0103-2A-PO	Dumoxel®	Polished		0.20	0.0079	1.50	0.0591	120	4.7280
0103-2A-PS	Dumoxel®	Matt		0.20	0.0079	1.50	0.0591	120	4.7280
0109-2A-PO	Dumostar®	Polished		0.20	0.0079	1.50	0.0591	120	4.7280
5306-2A-PS	Brass	Matt	TMF	0.20	0.0079	1.50	0.0591	120	4.7280

TMF=Mirror-finished tips

2AM


Strong tips with chamfer



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
5306-2AM-PS	Brass	Matt	0.14	0.0055	0.34	0.0134	120	4.7280

2L

Special tips, mirror-finish inside




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
5306-2L-PS	Brass	Matt	TMF	0.20	0.0079	0.20	0.0079	111	4.3734

TMF=Mirror-finished tips



2LA

Special tips, mirror-finish inside




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
5306-2LA-PS	Brass	Matt	TMF	0.60	0.0236	0.20	0.0079	111	4.3734

TMF=Mirror-finished tips

3


Thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-3-PO	Carbon	Polished	0.08	0.0032	0.13	0.0051	120	4.7280
0102-3-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	120	4.7280
0102-3-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	120	4.7280
0103-3-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	120	4.7280
0103-3-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	120	4.7280
0106-3-PO	Brass	Polished	0.10	0.0039	0.17	0.0067	120	4.7280
0106-3-PS	Brass	Matt	0.10	0.0039	0.17	0.0067	120	4.7280
0107-3TI-PO	Titanium	Polished	0.10	0.0039	0.17	0.0067	120	4.7280
0109-3-PO	Dumostar®	Polished	0.10	0.0039	0.17	0.0067	120	4.7280
0109-3-PS	Dumostar®	Matt	0.10	0.0039	0.17	0.0067	120	4.7280
5302-3-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	120	4.7280
5304-3-CO	Antimagn.	Epoxy coated	0.10	0.0039	0.17	0.0067	120	4.7280

3AM


Thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
5306-3AM-PS	Brass	Matt	0.10	0.0039	0.17	0.0067	120	4.7280

3C


Type 3 tweezers, short, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-3C-PO	Carbon	Polished	0.08	0.0032	0.13	0.0051	110	4.3340
0102-3C-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	110	4.3340
0102-3C-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	110	4.3340
0103-3C-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	110	4.3340
0103-3C-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	110	4.3340
0106-3C-PO	Brass	Polished	0.10	0.0039	0.17	0.0067	110	4.3340
0106-3C-PS	Brass	Matt	0.10	0.0039	0.17	0.0067	110	4.3340
0107-3CTI-PO	Titanium	Polished	0.10	0.0039	0.17	0.0067	110	4.3340
0109-3C-PO	Dumostar®	Polished	0.10	0.0039	0.17	0.0067	110	4.3340
0109-3C-PS	Dumostar®	Matt	0.10	0.0039	0.17	0.0067	110	4.3340

3 SPCORN


Strong tips with hole at the extreme end of tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0102-3SPCORN-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	Ø 0.30	0.0118	120	4.7280

4


Very thin tips out stronger than type 5



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-4-PO	Carbon	Polished	0.06	0.0024	0.10	0.0039	110	4.3340
0102-4-PO	Inox 02	Polished	0.08	0.0032	0.13	0.0051	110	4.3340
0102-4-PS	Inox 02	Matt	0.08	0.0032	0.13	0.0051	110	4.3340
0103-4-PO	Dumoxel®	Polished	0.08	0.0032	0.13	0.0051	110	4.3340
0103-4-PS	Dumoxel®	Matt	0.08	0.0032	0.13	0.0051	110	4.3340
0109-4-PO	Dumostar®	Polished	0.08	0.0032	0.13	0.0051	110	4.3340
0109-4-PS	Dumostar®	Matt	0.08	0.0032	0.13	0.0051	110	4.3340
5301-4-PO	Carbon	Polished	0.06	0.0024	0.10	0.0039	110	4.3340
5302-4-PO	Inox 02	Polished	0.08	0.0032	0.13	0.0051	110	4.3340
5304-4-CO	Antimagn.	Epoxy coated	0.08	0.0032	0.13	0.0051	110	4.3340
5306-4-PS	Brass	Matt	0.08	0.0032	0.13	0.0051	110	4.3340

4AM


Thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
5305-4AM-PO	Nickel	Polished	0.08	0.0032	0.13	0.0051	110	4.3340

5

Super thin tips




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
0101-5-PO	Carbon	Polished		0.04	0.0016	0.08	0.0032	110	4.3340
0102-5-TF	Inox 02	Teflon coated	TCO	0.06	0.0024	0.10	0.0039	110	4.3340
0103-5-PO	Dumoxel®	Polished		0.06	0.0024	0.10	0.0039	110	4.3340
0103-5-PS	Dumoxel®	Matt		0.06	0.0024	0.10	0.0039	110	4.3340
0103-5-TF	Dumoxel®	Teflon coated	TCO	0.06	0.0024	0.10	0.0039	110	4.3340
0107-5TI-PO	Titanium	Polished		0.06	0.0024	0.10	0.0039	110	4.3340
0108-5-PO	Inox 08	Polished		0.06	0.0024	0.10	0.0039	110	4.3340
0108-5-PS	Inox 08	Matt		0.06	0.0024	0.10	0.0039	110	4.3340
0109-5-PO	Dumostar®	Polished		0.06	0.0024	0.10	0.0039	110	4.3340
0109-5-PS	Dumostar®	Matt		0.06	0.0024	0.10	0.0039	110	4.3340
5301-5-PO	Carbon	Polished		0.04	0.0016	0.08	0.0032	110	4.3340
5302-5-PO	Inox 02	Polished		0.06	0.0024	0.10	0.0039	110	4.3340

TCO=Covered tips

5A


Oblique tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-5A-PO	Carbon	Polished	0.06	0.0024	0.10	0.0039	115	4.5310
0103-5A-PO	Dumoxel®	Polished	0.08	0.0032	0.13	0.0051	115	4.5310
0103-5A-PS	Dumoxel®	Matt	0.08	0.0032	0.13	0.0051	115	4.5310
0108-5A-PO	Inox 08	Polished	0.08	0.0032	0.13	0.0051	115	4.5310
0108-5A-PS	Inox 08	Matt	0.08	0.0032	0.13	0.0051	115	4.5310
0109-5A-PO	Dumostar®	Polished	0.08	0.0032	0.13	0.0051	115	4.5310
0109-5A-PS	Dumostar®	Matt	0.08	0.0032	0.13	0.0051	115	4.5310

5CST


Inside tips serrations, to manipulate electronic wires



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0109-5CST-PO	Dumostar®	Polished	0.25	0.0099	0.30	0.0118	115	4.5310

5SMDT


Type 5 tweezers, super thin tips, cushioned grip



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0103-5SMDT-PO	Dumoxel®	Polished	0.01	0.0004	0.05	0.0020	110	4.3340

8


To straighten pivots and wires



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-8-PO	Carbon	Polished	0.20	0.0079	9.20	0.3625	110	4.3340
0102-8-PO	Inox 02	Polished	0.20	0.0079	9.20	0.3625	110	4.3340
0102-8-PS	Inox 02	Matt	0.20	0.0079	9.20	0.3625	110	4.3340
0103-8-PO	Dumoxel®	Polished	0.20	0.0079	9.20	0.3625	110	4.3340
0103-8-PS	Dumoxel®	Matt	0.20	0.0079	9.20	0.3625	110	4.3340

8SPCORN


Special design for watch-making



Reference	Steel / alloy	Finish	B mm	inch	C mm	inch	L mm	inch
0102-8SPCORN-PO	Inox 02	Polished	0.7	0.0276	Ø 2.50	0.0985	110	4.3340

9/0


To bend Breguet hairsprings, size 0



Reference	Steel / alloy	Finish	B mm	inch	C mm	inch	L mm	inch
0101-9/0-PO	Carbon	Polished	1.70	0.0670	R 0.65	0.0256	110	4.3340

9/00


To bend Breguet hairsprings, size 00



Reference	Steel / alloy	Finish	B mm	inch	C mm	inch	L mm	inch
0101-9/00-PO	Carbon	Polished	1.50	0.0591	R 0.55	0.0217	110	4.3340

9/1


To bend Breguet hairsprings, size 1



Reference	Steel / alloy	Finish	B mm	inch	C mm	inch	L mm	inch
0101-9/1-PO	Carbon	Polished	1.90	0.0749	R 0.75	0.0296	110	4.3340

9/2


To bend Breguet hairsprings, size 2



Reference	Steel / alloy	Finish	B mm	inch	C mm	inch	L mm	inch
0101-9/2-PO	Carbon	Polished	2.30	0.0906	R 0.95	0.0374	110	4.3340

9/3


To bend Breguet hairsprings, size 3



Reference	Steel / alloy	Finish	B mm	inch	C mm	inch	L mm	inch
0101-9/3-PO	Carbon	Polished	2.60	0.1024	R 1.10	0.0433	110	4.3340

10/0


To curve Breguet hairsprings, size 0



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-10/0-PO	Carbon	Polished	0.40	0.0158	0.90	0.0355	R 0.40	0.0158	110	4.3340
0102-10/0-PO	Inox 02	Polished	0.40	0.0158	0.90	0.0355	R 0.45	0.0177	110	4.3340

10/00


To curve Breguet hairsprings, size 00



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-10/00-PO	Carbon	Polished	0.30	0.0118	0.60	0.0236	R 0.32	0.0126	110	4.3340
5301-10/00-PO	Carbon	Polished	0.30	0.0118	0.60	0.0236	R 0.32	0.0000	110	4.3340

10/000

To curve Breguet hairsprings, size 000




Reference	Steel / alloy	Finish	Option	A	inch	B mm	inch	C mm	inch	L mm	inch
0101-10/000-PO	Carbon	Polished	DHP	0.2	0.0079	0.40	0.0158	R 0.25	0.0099	110	4.3340

DHP

10/1


To curve Breguet hairsprings, size 1



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-10/1-PO	Carbon	Polished	0.5	0.0197	1.20	0.0473	R 0.60	0.0236	110	4.3340

10/2


To curve Breguet hairsprings, size 2



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-10/2-PO	Carbon	Polished	0.6	0.0236	1.40	0.0552	R 0.70	0.0276	110	4.3340

10/3

To curve Breguet hairsprings, size 3




Reference	Steel / alloy	Finish	Option	A	inch	B mm	inch	C mm	inch	L mm	inch
0101-10/3-PO	Carbon	Polished	DHP	0.7	0.0276	1.70	0.0670	R 0.90	0.0355	110	4.3340

DHP



10/4


To curve Breguet hairsprings, size 4



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-10/4-PO	Carbon	Polished	0.8	0.0315	2.00	0.0788	R 1.00	0.0394	110	4.3340

10/5

To curve Breguet hairsprings, size 5




Reference	Steel / alloy	Finish	Option	A	inch	B mm	inch	C mm	inch	L mm	inch
0101-10/5-PO	Carbon	Polished	DHP	0.9	0.0355	2.20	0.0867	R 1.10	0.0433	110	4.3340
0102-10/5-PO	Inox 02	Polished	DHP	0.9	0.0355	2.20	0.0867	R 1.10	0.0433	110	4.3340

DHP

10/6

To curve Breguet hairsprings, size 6




Reference	Steel / alloy	Finish	Option	A	inch	B mm	inch	C mm	inch	L mm	inch
0101-10/6-PO	Carbon	Polished	DHP	1	0.0394	2.40	0.0946	R 1.25	0.0493	110	4.3340

DHP

10/7

To curve Breguet hairsprings, size 7




Reference	Steel / alloy	Finish	Option	A	inch	B mm	inch	C mm	inch	L mm	inch
0101-10/7-PO	Carbon	Polished	DHP	1.1	0.0433	2.60	0.1024	R 1.35	0.0532	110	4.3340

DHP

I0/8


To curve Breguet hairsprings, size 8



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-I0/8-PO	Carbon	Polished	1.2	0.0473	2.80	0.1103	R 1.50	0.0591	110	4.3340

I0B


To curve hairsprings' center



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-I0B-PO	Carbon	Polished	0.20	0.0079	0.15	0.0059	120	4.7280

II


Strong tips, ideal to manipulate delicate pieces



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0103-II-PO	Dumoxel®	Polished	0.14	0.0055	0.24	0.0095	120	4.7280
0103-II-PS	Dumoxel®	Matt	0.14	0.0055	0.24	0.0095	120	4.7280
0105-II-NI-PO	Nickel	Polished	0.14	0.0055	0.24	0.0095	120	4.7280
0105-II-NI-PS	Nickel	Matt	0.14	0.0055	0.24	0.0095	120	4.7280

12


Thin tips, ideal to manipulate delicate pieces



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0103-12-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	120	4.7280
0103-12-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	120	4.7280
0105-12NI-PO	Nickel	Polished	0.10	0.0039	0.17	0.0067	120	4.7280
0105-12NI-PS	Nickel	Matt	0.10	0.0039	0.17	0.0067	120	4.7280

13


To set round balance wheels



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0105-13NI-PO	Nickel	Polished	1.40	0.0552	1.80	0.0709	Ø 0.75	0.0296	110	4.3340
0105-13NI-PS	Nickel	Matt	1.40	0.0552	1.80	0.0709	Ø 0.75	0.0296	110	4.3340

14


To lift and hold clock hands. Different diameters upon request



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-14-PO	Carbon	Polished	0.30	0.0118	5.00	0.1970	110	4.3340
0102-14-PO	Inox 02	Polished	0.30	0.0118	5.00	0.1970	110	4.3340
0102-14-PS	Inox 02	Matt	0.30	0.0118	5.00	0.1970	110	4.3340

## I4A


To lift and hold clock hands. Different diameters upon request



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-I4A-PO	Carbon	Polished	0.30	0.0118	5.00	0.1970	125	4.9250
0102-I4A-PO	Inox 02	Polished	0.30	0.0118	5.00	0.1970	125	4.9250
0102-I4A-PS	Inox 02	Matt	0.30	0.0118	5.00	0.1970	125	4.9250

## I4MFSP

To lift and hold clock hands. Different design and finish upon request




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
0102-I4MFSP-PS	Inox 02	Matt	SMF	0.30	0.0118	5.00	0.1970	110	4.3340

\*SMF= Mirror-finished on one side

## I5


To mark hairsprings



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-I5-PO	Carbon	Polished	2.50	0.0985	3.00	0.1182	∅ 2.20	0.0867	110	4.3340

## I5C


Type I5 tweezers, short



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-I5C-PO	Carbon	Polished	2.50	0.0985	2.20	0.0867	∅ 2.20	0.0867	90	3.5460

23B

To hold pallet forks




Reference	Steel / alloy	Finish	Option	A	inch	B mm	inch	C mm	inch	L mm	inch
0101-23B-PO	Carbon	Polished		0.80	0.0315	2.00	0.0788	0.55	0.0217	110	4.3340
0102-23B-PO	Inox 02	Polished	DHP	0.80	0.0315	2.00	0.0788	0.55	0.0217	110	4.3340

DHP

24B


To hold pallet forks



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-24B-PO	Carbon	Polished	0.80	0.0315	2.00	0.0788	∅ 0.60	0.0236	110	4.3340
0102-24B-PO	Inox 02	Polished	0.80	0.0315	2.00	0.0788	∅ 0.60	0.0236	110	4.3340

24C



Screw tweezers



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-24C-PO	Carbon	Polished	0.90	0.0355	1.50	0.0591	∅ 0.30	0.0118	125	4.9250
0102-24C-PO	Inox 02	Polished	0.90	0.0355	1.50	0.0591	∅ 0.30	0.0118	125	4.9250

25B


To hold pallet forks, narrow tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-25B-PO	Carbon	Polished	0.80	0.0315	1.50	0.0591	Ø 0.45	0.0177	110	4.3340
0102-25B-PO	Inox 02	Polished	0.80	0.0315	1.50	0.0591	Ø 0.45	0.0177	110	4.3340

25C


Screw tweezers



Reference	Steel / alloy	Finish	B mm	inch	C mm	inch	L mm	inch
0101-25C-PO	Carbon	Polished	2.30	0.0906	Ø 0.30	0.0118	125	4.9250
0102-25C-PO	Inox 02	Polished	2.30	0.0906	Ø 0.30	0.0118	125	4.9250

27


Thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-27-PO	Carbon	Polished	0.10	0.0039	0.14	0.0055	135	5.3190
0103-27-PO	Dumoxel®	Polished	0.12	0.0047	0.20	0.0079	135	5.3190
0103-27-PS	Dumoxel®	Matt	0.12	0.0047	0.20	0.0079	135	5.3190

27INC


Tweezers for Incabloc



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-27INC-PO	Carbon	Polished	0.70	0.0276	2.00	0.0788	Ø 0.80	0.0315	110	4.3340
0102-27INC-PO	Inox 02	Polished	0.70	0.0276	2.00	0.0788	Ø 0.80	0.0315	110	4.3340
0103-27INC-PO	Dumoxel®	Polished	0.70	0.0276	2.00	0.0788	Ø 0.80	0.0315	110	4.3340

45


Thin tips



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0101-45-PO	Carbon	Polished	✓	0.12	0.0047	0.20	0.0079	120	4.7280
0102-45-PS	Inox 02	Matt	✓	0.12	0.0047	0.20	0.0079	120	4.7280
0103-45-PS	Dumoxel®	Matt	✓	0.12	0.0047	0.20	0.0079	120	4.7280

46


Broad flat rounded tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-46-PO	Inox 02	Polished	0.20	0.0079	0.60	0.0236	130	5.1220
0103-46-PO	Dumoxel®	Polished	0.20	0.0079	0.60	0.0236	130	5.1220

49


Tips rounded in the inside



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-49-PO	Carbon	Polished	0.10	0.0039	0.13	0.0051	5.50	0.2167	120	4.7280

50


Geneva pattern, light weight, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-50-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0103-50-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	115	4.5310

51

Thin tips, bent 45°, very popular for semi-conductors




Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0106-51-PO	Brass	Polished	0.06	0.0024	0.10	0.0039	115	4.5310
0109-51-PO	Dumostar®	Polished	0.06	0.0024	0.10	0.0039	115	4.5310
0109-51-PS	Dumostar®	Matt	0.06	0.0024	0.10	0.0039	115	4.5310



53


Light weight, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-53-PO	Carbon	Polished	0.08	0.0032	0.13	0.0051	120	4.7280
0102-53-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	120	4.7280
0102-53-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	120	4.7280
0103-53-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	120	4.7280

53C


Type 53 tweezers, short, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-53C-PO	Carbon	Polished	0.08	0.0032	0.13	0.0051	110	4.3340

54

Type 4 tweezers, light weight, very thin tips




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
0101-54-PO	Carbon	Polished		0.04	0.0016	0.08	0.0032	110	4.3340
0102-54-PO	Inox 02	Polished	DHP	0.08	0.0032	0.13	0.0051	110	4.3340
0103-54-PO	Dumoxel®	Polished		0.08	0.0032	0.13	0.0051	110	4.3340

DHP

55


Type 5 tweezers, light shanks, very thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-55-PO	Carbon	Polished	0.04	0.0016	0.08	0.0032	110	4.3340
0102-55-PO	Inox 02	Polished	0.08	0.0032	0.13	0.0051	110	4.3340
0102-55-PS	Inox 02	Matt	0.08	0.0032	0.13	0.0051	110	4.3340
0103-55-PO	Dumoxel®	Polished	0.08	0.0032	0.13	0.0051	110	4.3340
0103-55-PS	Dumoxel®	Matt	0.08	0.0032	0.13	0.0051	110	4.3340

60/3





Cutting tweezers for thin copper wires



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-60/3-PO	Carbon	Polished	0.50	0.0197	0.65	0.0256	115	4.5310

70L





Long shanks with locking system, inside grip serration



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
0102-70FL-PS	Inox 02	Matt	✓	0.40	0.0158	0.60	0.0236	160	6.3040

191


To grab and insert small screws, with locking system



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
5304-191-PS	Antimagn.	Matt	0.70	0.0276	1.80	0.0709	140	5.5160

A


Strong tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-A-PO	Carbon	Polished	0.35	0.0138	0.60	0.0236	115	4.5310
0102-A-PO	Inox 02	Polished	0.35	0.0138	0.60	0.0236	115	4.5310
0102-A-PS	Inox 02	Matt	0.35	0.0138	0.60	0.0236	115	4.5310
0103-A-PO	Dumoxel®	Polished	0.35	0.0138	0.60	0.0236	115	4.5310
0103-A-PS	Dumoxel®	Matt	0.35	0.0138	0.60	0.0236	115	4.5310

AA


Strong tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-AA-PO	Carbon	Polished	0.20	0.0079	0.40	0.0158	125	4.9250
0102-AA-PO	Inox 02	Polished	0.20	0.0079	0.40	0.0158	125	4.9250
0102-AA-PS	Inox 02	Matt	0.20	0.0079	0.40	0.0158	125	4.9250
0103-AA-PO	Dumoxel®	Polished	0.20	0.0079	0.40	0.0158	125	4.9250
0103-AA-PS	Dumoxel®	Matt	0.20	0.0079	0.40	0.0158	125	4.9250
0106-AA-PO	Brass	Polished	0.20	0.0079	0.40	0.0158	125	4.9250
0107-AATI-PO	Titanium	Polished	0.20	0.0079	0.40	0.0158	125	4.9250

AC

Type A tweezers, short




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
0101-AC-PO	Carbon	Polished		0.35	0.0138	0.60	0.0236	105	4.1370
0102-AC-PO	Inox 02	Polished	DHP	0.35	0.0138	0.60	0.0236	105	4.1370
0103-AC-PO	Dumoxel®	Polished	DHP	0.35	0.0138	0.60	0.0236	105	4.1370

DHP

AM


Strong tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0106-AM-PO	Brass	Polished	0.30	0.0118	0.40	0.0158	120	4.7280

F

Wide square tips




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
0101-F-PO	Carbon	Polished		0.20	0.0079	2.00	0.0788	120	4.7280
0102-F-PO	Inox 02	Polished		0.20	0.0079	2.00	0.0788	120	4.7280
0102-F-PS	Inox 02	Matt		0.20	0.0079	2.00	0.0788	120	4.7280
0103-F-PO	Dumoxel®	Polished		0.20	0.0079	2.00	0.0788	120	4.7280
0103-F-PS	Dumoxel®	Matt		0.20	0.0079	2.00	0.0788	120	4.7280
0109-FSPTMF-PO	Dumostar®	Polished	TMF	0.20	0.0079	2.00	0.0788	120	4.7280

TMF=Mirror-finished tips

GG


Strong tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-GG-PO	Carbon	Polished	0.12	0.0047	0.20	0.0079	130	5.1220
0102-GG-PO	Inox 02	Polished	0.12	0.0047	0.20	0.0079	130	5.1220
0102-GG-PS	Inox 02	Matt	0.12	0.0047	0.20	0.0079	130	5.1220
0103-GG-PO	Dumoxel®	Polished	0.12	0.0047	0.20	0.0079	130	5.1220
0103-GG-PS	Dumoxel®	Matt	0.12	0.0047	0.20	0.0079	130	5.1220

H


Triangle-shaped tips, short shanks



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-H-PO	Carbon	Polished	0.08	0.0032	0.13	0.0051	90	3.5460
0102-H-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	90	3.5460
0102-H-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	90	3.5460
0103-H-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	90	3.5460
0103-H-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	90	3.5460

L5


Super thin tips, clamping ring



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-L5-PO	Inox 02	Polished	0.06	0.0024	0.10	0.0039	110	4.3340

P


Strong tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-P-PO	Carbon	Polished	0.12	0.0047	0.20	0.0079	120	4.7280
0102-P-PO	Inox 02	Polished	0.14	0.0055	0.24	0.0095	120	4.7280
0102-P-PS	Inox 02	Matt	0.14	0.0055	0.24	0.0095	120	4.7280
0103-P-PO	Dumoxel®	Polished	0.14	0.0055	0.24	0.0095	120	4.7280
0103-P-PS	Dumoxel®	Matt	0.14	0.0055	0.24	0.0095	120	4.7280
0105-PNI-PO	Nickel	Polished	0.14	0.0055	0.24	0.0095	120	4.7280
0105-PNI-PS	Nickel	Matt	0.14	0.0055	0.24	0.0095	120	4.7280
0106-P-PO	Brass	Polished	0.14	0.0055	0.24	0.0095	120	4.7280

PP

Strong tips




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
0101-PP-PO	Carbon	Polished	DHP	0.12	0.0047	0.20	0.0079	135	5.3190
0102-PP-PO	Inox 02	Polished		0.14	0.0055	0.24	0.0095	135	5.3190
0102-PP-PS	Inox 02	Matt		0.14	0.0055	0.24	0.0095	135	5.3190
0103-PP-PO	Dumoxel®	Polished		0.14	0.0055	0.24	0.0095	135	5.3190
0103-PP-PS	Dumoxel®	Matt		0.14	0.0055	0.24	0.0095	135	5.3190
0106-PP-PO	Brass	Polished		0.14	0.0055	0.24	0.0095	135	5.3190

DHP

S


Thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-S-PO	Carbon	Polished	0.10	0.0039	0.14	0.0055	120	4.7280
0102-S-PO	Inox 02	Polished	0.12	0.0047	0.20	0.0079	120	4.7280
0102-S-PS	Inox 02	Matt	0.12	0.0047	0.20	0.0079	120	4.7280
0103-S-PO	Dumoxel®	Polished	0.12	0.0047	0.20	0.0079	120	4.7280
0103-S-PS	Dumoxel®	Matt	0.12	0.0047	0.20	0.0079	120	4.7280
0105-SNI-PO	Nickel	Polished	0.12	0.0047	0.20	0.0079	120	4.7280
0105-SNI-PS	Nickel	Matt	0.12	0.0047	0.20	0.0079	120	4.7280
0106-S-PO	Brass	Polished	0.12	0.0047	0.20	0.0079	120	4.7280

SC

Type S tweezers, short shanks




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
0101-SC-PO	Carbon	Polished		0.10	0.0039	0.14	0.0055	110	4.3340
0102-SC-PO	Inox 02	Polished	DHP	0.12	0.0047	0.20	0.0079	110	4.3340
0103-SC-PO	Dumoxel®	Polished		0.12	0.0047	0.20	0.0079	110	4.3340

DHP

SS


Long and narrow shanks, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0109-SS-PO	Dumostar®	Polished	0.12	0.0047	0.20	0.0079	135	5.3190
0109-SS-PS	Dumostar®	Matt	0.12	0.0047	0.20	0.0079	135	5.3190

SSI 35





Long and narrow shanks, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-SSI35-PO	Carbon	Polished	0.10	0.0039	0.14	0.0055	135	5.3190
0102-SSI35-PO	Inox 02	Polished	0.12	0.0047	0.20	0.0079	135	5.3190
0102-SSI35-PS	Inox 02	Matt	0.12	0.0047	0.20	0.0079	135	5.3190
0103-SSI35-PO	Dumoxel®	Polished	0.12	0.0047	0.20	0.0079	135	5.3190
0103-SSI35-PS	Dumoxel®	Matt	0.12	0.0047	0.20	0.0079	135	5.3190
0105-SSI35NI-PO	Nickel	Polished	0.12	0.0047	0.20	0.0079	135	5.3190
0105-SSI35NI-PS	Nickel	Matt	0.12	0.0047	0.20	0.0079	135	5.3190
0106-SSI35-PO	Brass	Polished	0.12	0.0047	0.20	0.0079	135	5.3190
0109-SSI35-PO	Dumostar®	Matt	0.12	0.0047	0.20	0.0079	135	5.3190

SSI 40

Long and narrow shanks, thin tips




Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-SSI40-PO	Carbon	Polished	0.10	0.0039	0.14	0.0055	140	5.5160
0102-SSI40-PO	Inox 02	Polished	0.12	0.0047	0.20	0.0079	140	5.5160
0102-SSI40-PS	Inox 02	Matt	0.12	0.0047	0.20	0.0079	140	5.5160
0103-SSI40-PO	Dumoxel®	Polished	0.12	0.0047	0.20	0.0079	140	5.5160
0103-SSI40-PS	Dumoxel®	Matt	0.12	0.0047	0.20	0.0079	140	5.5160
0107-SSI40TI-PO	Titanium	Polished	0.12	0.0047	0.20	0.0079	140	5.5160
0109-SSI40-PO	Dumostar®	Polished	0.12	0.0047	0.20	0.0079	140	5.5160



2E


To hold quartz, diameter upon request



Reference	Steel / alloy	Finish	C mm	inch	L mm	inch
5304-2EQUARTZ-CO	Antimagn.	Epoxy coated	Ø 3.00	0.1182	118	4.6492

2E 1/2


To grab components, tips Ø 12.7 mm



Reference	Steel / alloy	Finish	C mm	inch	L mm	inch
0102-2E1/2-PO	Inox 02	Polished	Ø 12.70	0.5004	118	4.6492
0103-2E1/2-PO	Dumoxel®	Polished	Ø 12.70	0.5004	118	4.6492

2E 1/4


To grab components, tips Ø 6.4 mm



Reference	Steel / alloy	Finish	C mm	inch	L mm	inch
0102-2E1/4-PO	Inox 02	Polished	Ø 6.40	0.2522	118	4.6492
0103-2E1/4-PO	Dumoxel®	Polished	Ø 6.40	0.2522	118	4.6492

2E1/8


To grab components, tips  $\varnothing$  3.2 mm



Reference	Steel / alloy	Finish	C mm	inch	L mm	inch
0102-2E1/8-PO	Inox 02	Polished	$\varnothing$ 3.20	0.1261	118	4.6492
0103-2E1/8-PO	Dumoxel®	Polished	$\varnothing$ 3.20	0.1261	118	4.6492

5/15


Thin tips, bent 15°



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-5/15-PO	Carbon	Polished	0.04	0.0016	0.08	0.0032	105	4.1370
0103-5/15-PO	Dumoxel®	Polished	0.06	0.0024	0.10	0.0039	105	4.1370
0103-5/15-PS	Dumoxel®	Matt	0.06	0.0024	0.10	0.0039	105	4.1370
0108-5/15-PO	Inox 08	Polished	0.06	0.0024	0.10	0.0039	105	4.1370
0108-5/15-PS	Inox 08	Matt	0.06	0.0024	0.10	0.0039	105	4.1370

5/45


Thin tips, bent 45°



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-5/45-PO	Carbon	Polished	0.04	0.0016	0.08	0.0032	109	4.2946
0103-5/45-PO	Dumoxel®	Polished	0.06	0.0024	0.10	0.0039	109	4.2946
0103-5/45-PS	Dumoxel®	Matt	0.06	0.0024	0.10	0.0039	109	4.2946
0108-5/45-PO	Inox 08	Polished	0.06	0.0024	0.10	0.0039	109	4.2946
0108-5/45-PS	Inox 08	Matt	0.06	0.0024	0.10	0.0039	109	4.2946

5/90


Thin tips, bent 90°



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-5/90-PO	Carbon	Polished	0.04	0.0016	0.08	0.0032	106	4.1764
0103-5/90-PO	Dumoxel®	Polished	0.06	0.0024	0.10	0.0039	106	4.1764
0103-5/90-PS	Dumoxel®	Matt	0.06	0.0024	0.10	0.0039	106	4.1764
0108-5/90-PO	Inox 08	Polished	0.06	0.0024	0.10	0.0039	106	4.1764
0108-5/90-PS	Inox 08	Matt	0.06	0.0024	0.10	0.0039	106	4.1764

5A/45


Oblique tips bent 45°



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0103-5A/45-PO	Dumoxel®	Polished	0.08	0.0032	0.13	0.0051	113	4.4522
0103-5A/45-PS	Dumoxel®	Matt	0.08	0.0032	0.13	0.0051	113	4.4522

6


Thin, hooked tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-6-PO	Carbon	Polished	0.08	0.0032	0.13	0.0051	115	4.5310
0102-6-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0102-6-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	115	4.5310
0103-6-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0103-6-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	115	4.5310
0107-6TI-PO	Titanium	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0109-6-PO	Dumostar®	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0109-6-PS	Dumostar®	Matt	0.10	0.0039	0.17	0.0067	115	4.5310

7

Curved and thin tips




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
0101-7-PO	Carbon	Polished		0.08	0.0032	0.13	0.0051	115	4.5310
0102-7-PO	Inox 02	Polished		0.10	0.0039	0.17	0.0067	115	4.5310
0102-7-PS	Inox 02	Matt		0.10	0.0039	0.17	0.0067	115	4.5310
0102-7-TF	Inox 02	Teflon coated	TCO	0.10	0.0039	0.17	0.0067	115	4.5310
0103-7-PO	Dumoxel®	Polished		0.10	0.0039	0.17	0.0067	115	4.5310
0103-7-PS	Dumoxel®	Matt		0.10	0.0039	0.17	0.0067	115	4.5310
0106-7-PO	Brass	Polished		0.10	0.0039	0.17	0.0067	115	4.5310
0106-7TMF-PO	Brass	Polished	TMF	0.10	0.0039	0.17	0.0067	115	4.5310
0107-7TI-PO	Titanium	Polished		0.10	0.0039	0.17	0.0067	115	4.5310
0107-7TI-PS	Titanium	Matt		0.10	0.0039	0.17	0.0067	115	4.5310
0109-7-PO	Dumostar®	Polished		0.10	0.0039	0.17	0.0067	115	4.5310
0109-7-PS	Dumostar®	Matt		0.10	0.0039	0.17	0.0067	115	4.5310

TMF=Mirror-finished tips TCO=Covered tips

7A

Curved and strong tips




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
0101-7A-PO	Carbon	Polished		0.12	0.0047	0.20	0.0079	115	4.5310
0102-7A-PO	Inox 02	Polished		0.16	0.0063	0.24	0.0095	115	4.5310
0102-7A-PS	Inox 02	Matt		0.16	0.0063	0.24	0.0095	115	4.5310
0103-7A-PO	Dumoxel®	Polished		0.16	0.0063	0.24	0.0095	115	4.5310
0103-7A-PS	Dumoxel®	Matt		0.16	0.0063	0.24	0.0095	115	4.5310
0107-7ATI-PO	Titanium	Polished		0.10	0.0039	0.17	0.0067	115	4.5310
5306-7SF-PS	Brass	Matt	TMF	0.16	0.0063	0.24	0.0095	115	4.5310

TMF=Mirror-finished tips

7B


Curved tips with inside tip serrations



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-7B-PO	Carbon	Polished	0.08	0.0032	0.13	0.0051	115	4.5310
0102-7B-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0102-7B-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	115	4.5310
0103-7B-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0103-7B-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	115	4.5310
0109-7B-PO	Dumostar®	Polished	0.10	0.0039	0.17	0.0067	115	4.5310

7S

Small curved and thin tips




Reference	Steel / alloy	Finish	Option	A mm	inch	B mm	inch	L mm	inch
0101-7S-PO	Carbon	Polished		0.08	0.0032	0.13	0.0051	117	4.6098
0102-7S-PO	Inox 02	Polished		0.10	0.0039	0.17	0.0067	117	4.6098
0103-7S-PO	Dumoxel®	Polished		0.10	0.0039	0.17	0.0067	117	4.6098
5302-7S-PO	Inox 02	Polished		0.10	0.0039	0.17	0.0067	117	4.6098
5306-7S-PS	Brass	Matt	TMF	0.10	0.0039	0.17	0.0067	117	4.6098

TMF= Mirror-finished tips

45/45


Special tips tweezers for a quick check of digital modules functions



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
5302-45/45-CO	Inox 02	Epoxy coated	0.12	0.0047	0.20	0.0079	118	4.6492

208





To grip and insert small screws



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
5304-208SCREWS-CC	Antimagn.	Epoxy coated	0.40	0.0158	2.90	0.1143	2.00	0.0788	117	4.6098

242


To grab and insert small screws, locking system, tips bent 45°



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
5304-242-PS	Antimagn.	Matt	0.70	0.0276	1.80	0.0709	138	5.4372

L5/15


Super thin tips, bent 15°, clamping ring



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-L5/15-PO	Inox 02	Polished	0.06	0.0024	0.10	0.0039	105	4.1370

I5A


To cut wires, hairsprings, etc.



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-15AO-PO	Carbon	Polished	8.50	0.3349	10.50	0.4137	0.60	0.0236	115	4.5310
0101-15A-PO	Carbon	Polished	8.50	0.3349	10.50	0.4137	0.20	0.0079	115	4.5310
0102-15A-PO	Inox 02	Polished	8.50	0.3349	10.50	0.4137	0.20	0.0079	115	4.5310
0102-15A-PS	Inox 02	Matt	8.50	0.3349	10.50	0.4137	0.20	0.0079	115	4.5310

I5AP


To cut different copper wires. Parallel cutting edges



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-15AP-PO	Carbon	Polished	8.50	0.3349	10.50	0.4137	115	4.5310

## DN0C100SP


## Super thin tips with special bending



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0107-DN0CSP-PO	Titanium	Polished	0.08	0.0032	0.13	0.0051	108	4.2552

## N0


## Type 0 tweezers, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-N0-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0102-N0-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	115	4.5310
0103-N0-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0103-N0-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	115	4.5310

## N0C

## Type 0 tweezers, short, thin tips




Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-N0C-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	108	4.2552
0102-N0C-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	108	4.2552
0103-N0C-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	108	4.2552
0103-N0C-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	108	4.2552



N1


Type 1 tweezers, strong tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-N1-PO	Inox 02	Polished	0.12	0.0047	0.20	0.0079	118	4.6492
0102-N1-PS	Inox 02	Matt	0.12	0.0047	0.20	0.0079	118	4.6492
0103-N1-PO	Dumoxel®	Polished	0.12	0.0047	0.20	0.0079	118	4.6492
0103-N1-PS	Dumoxel®	Matt	0.12	0.0047	0.20	0.0079	118	4.6492

N2


Type 2 tweezers, long and strong tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-N2-PO	Inox 02	Polished	0.14	0.0055	0.34	0.0134	118	4.6492
0102-N2-PS	Inox 02	Matt	0.14	0.0055	0.34	0.0134	118	4.6492
0103-N2-PO	Dumoxel®	Polished	0.14	0.0055	0.34	0.0134	118	4.6492
0103-N2-PS	Dumoxel®	Matt	0.14	0.0055	0.34	0.0134	118	4.6492

N2A


Type 2A tweezers, rounded tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-N2A-PO	Inox 02	Polished	0.20	0.0079	1.50	0.0591	118	4.6492
0102-N2A-PS	Inox 02	Matt	0.20	0.0079	1.50	0.0591	118	4.6492
0103-N2A-PO	Dumoxel®	Polished	0.20	0.0079	1.50	0.0591	118	4.6492
0103-N2A-PS	Dumoxel®	Matt	0.20	0.0079	1.50	0.0591	118	4.6492

### N3


### Type 3 tweezers, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-N3-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	118	4.6492
0102-N3-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	118	4.6492
0103-N3-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	118	4.6492
0103-N3-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	118	4.6492

### N3C


### Type 3 tweezers, short, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-N3C-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	108	4.2552
0102-N3C-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	108	4.2552
0103-N3C-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	108	4.2552
0103-N3C-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	108	4.2552

### N4


### Type 4 tweezers, very thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-N4-PO	Inox 02	Polished	0.08	0.0032	0.13	0.0051	108	4.2552
0102-N4-PS	Inox 02	Matt	0.08	0.0032	0.13	0.0051	108	4.2552
0103-N4-PO	Dumoxel®	Polished	0.08	0.0032	0.13	0.0051	108	4.2552
0103-N4-PS	Dumoxel®	Matt	0.08	0.0032	0.13	0.0051	108	4.2552

N5


Type 5 tweezers, super thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-N5-PO	Inox 02	Polished	0.06	0.0024	0.10	0.0039	108	4.2552
0102-N5-PS	Inox 02	Matt	0.06	0.0024	0.10	0.0039	108	4.2552
0103-N5-PO	Dumoxel®	Polished	0.06	0.0024	0.10	0.0039	108	4.2552
0103-N5-PS	Dumoxel®	Matt	0.06	0.0024	0.10	0.0039	108	4.2552

N5/15


Type 5 tweezers, super thin tips, bent 15°



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0103-N5/15-PO	Dumoxel®	Polished	0.06	0.0024	0.10	0.0039	106	4.1764
0103-N5/15-PS	Dumoxel®	Matt	0.06	0.0024	0.10	0.0039	106	4.1764

N5A


Type 5A tweezers, super thin oblique tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-N5A-PO	Inox 02	Polished	0.08	0.0032	0.13	0.0051	113	4.4522
0102-N5A-PS	Inox 02	Matt	0.08	0.0032	0.13	0.0051	113	4.4522
0103-N5A-PO	Dumoxel®	Polished	0.08	0.0032	0.13	0.0051	113	4.4522
0103-N5A-PS	Dumoxel®	Matt	0.08	0.0032	0.13	0.0051	113	4.4522

## N6


## Type 6 tweezers, hooked thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-N6-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	113	4.4522
0102-N6-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	113	4.4522
0103-N6-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	113	4.4522
0103-N6-PS	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	113	4.4522

## N7


## Type 7 tweezers, curved thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-N7-PO	Inox 02	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0102-N7-PS	Inox 02	Matt	0.10	0.0039	0.17	0.0067	115	4.5310
0103-N7-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	115	4.5310
0103-N7-PS	Dumoxel®	Matt	0.10	0.0039	0.17	0.0067	115	4.5310

## NAA


## Type AA tweezers, strong tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-NAA-PO	Inox 02	Polished	0.20	0.0079	0.40	0.0158	123	4.8462
0102-NAA-PS	Inox 02	Matt	0.20	0.0079	0.40	0.0158	123	4.8462
0103-NAA-PO	Dumoxel®	Polished	0.20	0.0079	0.40	0.0158	123	4.8462
0103-NAA-PS	Dumoxel®	Matt	0.20	0.0079	0.40	0.0158	123	4.8462

NGG


Type GG tweezers, strong tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-NGG-PO	Inox 02	Polished	0.12	0.0047	0.20	0.0079	128	5.0432
0102-NGG-PS	Inox 02	Matt	0.12	0.0047	0.20	0.0079	128	5.0432
0103-NGG-PO	Dumoxel®	Polished	0.12	0.0047	0.20	0.0079	128	5.0432
0103-NGG-PS	Dumoxel®	Matt	0.12	0.0047	0.20	0.0079	128	5.0432

NPP


Type PP tweezers, strong tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0102-NPP-PO	Inox 02	Polished	0.14	0.0055	0.24	0.0095	133	5.2402
0102-NPP-PS	Inox 02	Matt	0.14	0.0055	0.24	0.0095	133	5.2402
0103-NPP-PO	Dumoxel®	Polished	0.14	0.0055	0.24	0.0095	133	5.2402
0103-NPP-PS	Dumoxel®	Polished	0.14	0.0055	0.24	0.0095	133	5.2402

M3


Type 3 mini tweezers, thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0103-M3SA-PO	Dumoxel®	Polished	0.10	0.0039	0.17	0.0067	70	2.7580

M5


Type 5 mini tweezers, super thin tips



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0103-M5SA-PO	Dumoxel®	Polished	0.06	0.0024	0.10	0.0039	85	3.3490

16


Straight cutting pliers, straight arms, for hairsprings



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-16-PO	Carbon	Polished	10.50	0.4137	18.50	0.7289	108	4.2552

17


Slanted cutting pliers, straight arms, for hairsprings



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-17-PO	Carbon	Polished	10.50	0.4137	19.30	0.7604	110	4.3340

17A


Type 17 pliers, large, slanted cutting pliers, straight arms, for hairsprings



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-17A-PO	Carbon	Polished	14.00	0.5516	21.00	0.8274	128	5.0432

17C

Type 17 pliers, small, slanted cutting pliers, straight arms, for hairsprings




Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-17C-PO	Carbon	Polished	9.50	0.3743	15.00	0.5910	100	3.9400



18


Straight cutting pliers, curved arms, for hairsprings



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-18-PO	Carbon	Polished	10.50	0.4137	18.50	0.7289	105	4.1370

19


Slanted cutting pliers, curved arms, for hairsprings



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-19-PO	Carbon	Polished	10.50	0.4137	19.30	0.7604	105	4.1370

20


Straight cutting pliers, straight arms, for hairsprings



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-20-PO	Carbon	Polished	10.50	0.4137	20.00	0.7880	108	4.2552

21


Clock hands removing pliers



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-21-PO	Carbon	Polished	1.00	0.0394	2.10	0.0827	125	4.9250

22


Collet removing pliers



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	L mm	inch
0101-22-PO	Carbon	Polished	0.30	0.0118	1.40	0.0552	125	4.9250

24


Minute wheels stud tongs



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-24-PO	Carbon	Polished	1.00	0.0394	1.50	0.0591	Ø 0.30	0.0118	120	4.7280
0101-24SP-PO	Carbon	Polished	1.00	0.0394	1.50	0.0591	Ø 0.30	0.0118	120	4.7280

25

Minute wheels stud tongs



Reference	Steel / alloy	Finish	A mm	inch	B mm	inch	C mm	inch	L mm	inch
0101-25-PO	Carbon	Polished	2.50	0.0985	3.00	0.1182	Ø 0.30	0.0118	123	4.8462





*Watch-making*



*Jewellery*



*Electronics & Industry*



*Medical & Biology*



*Cosmetic*



SWISS  MADE

**Manufactures d'Outils DUMONT® SA**  
Rue Théodore Dumont 1 – 2924 Montignez – Switzerland  
Phone +41 32 475 21 21 – Fax +41 32 475 21 25  
[www.dumonttools.com](http://www.dumonttools.com) – [info@dumonttools.com](mailto:info@dumonttools.com)