

D U M O N T[®]



SWISS  MADE





Straight tweezers
Curved & angled tweezers



JEWELLERY

182





Shovel tweezers for diamonds and others



Reference	Steel / alloy	Finish	Serration	A mm	inch	B mm	inch	L mm	inch
6102-182-PS	Inox 02	Matt	✓	1.80	0.0709	0.80	0.0315	177	6.9738

70

Long shanks, strong tips






Reference	Steel / alloy	Finish	Serration	Option	A mm	inch	B mm	inch	L mm	inch
6101-70F-CR	Carbon	Black Chr.	✓	CHR	0.40	0.0158	0.85	0.0335	160	6.3040
6101-70M-CR	Carbon	Black Chr.	✓	CHR	0.70	0.0276	1.55	0.0611	160	6.3040
6102-70BG-PS	Inox 02	Matt	✓	TG	0.80	0.0315	2.45	0.0965	160	6.3040
6102-70F-PS	Inox 02	Matt	✓		0.40	0.0158	0.85	0.0335	160	6.3040
6102-70LG-PS	Inox 02	Matt	✓	TG	0.50	0.0197	0.80	0.0315	160	6.3040
6102-70L-PS	Inox 02	Matt	✓		0.50	0.0197	0.80	0.0315	160	6.3040
6102-70MG-PS	Inox 02	Matt	✓	TG	0.70	0.0276	1.55	0.0611	160	6.3040
6102-70M-PS	Inox 02	Matt	✓		0.70	0.0276	1.55	0.0611	160	6.3040
6107-70FTIS-PS	Titanium	Matt	✓	TPS	0.40	0.0158	0.85	0.0335	160	6.3040
6107-70MTIS-PS	Titanium	Matt	✓	TPS	0.70	0.0276	1.55	0.0611	160	6.3040

TPS=Sandblasted tips CHR=Black Chromium TG=Tips with empty slots

70L

Long shanks with locking system, inside grip serration






Length in mm
160

Reference	Steel / alloy	Finish	Serration	Option	A mm	inch	B mm	inch	L mm	inch
6101-70FL-CR	Carbon	Black Chr.	✓	CHR	0.40	0.0158	0.85	0.0335	160	6.3040
6102-70BGL-PS	Inox 02	Matt	✓	TG	0.80	0.0315	2.45	0.0965	160	6.3040
6102-70BL-PS	Inox 02	Matt	✓		0.80	0.0315	2.45	0.0965	160	6.3040
6102-70FL-PS	Inox 02	Matt	✓		0.40	0.0158	0.85	0.0335	160	6.3040
6102-70LGL-PS	Inox 02	Matt	✓	TG	0.50	0.0197	0.80	0.0315	160	6.3040
6102-70ML-PS	Inox 02	Matt	✓		0.70	0.0276	1.55	0.0611	160	6.3040

TG=Tips with empty slots CHR=Black Chromium

200

Tweezers to hold rings



Length in mm
139

Reference	Steel / alloy	Finish	Serration	C mm	inch	L mm	inch
6104-200-PS	Antimagn.	Matt	✓	∅ 18 - 22	0.7092 - 0.8668	139	5.4766

Watch-making



Jewellery



Electronics & Industry



Medical & Biology



Cosmetic



SWISS  MADE

Manufactures d'Outils DUMONT® SA
Rue Théodore Dumont 1 – 2924 Montignez – Switzerland
Phone +41 32 475 21 21 – Fax +41 32 475 21 25
www.dumonttools.com – info@dumonttools.com